



SAFETY DATA SHEET

This safety data sheet complies with the requirements of: WHS regulation 2011

Product name PLUS-FIFTY® C Dry
Chemical, Cartridge Operated
Extinguisher

Revision date 26-Mar-2024

Revision Number 3

Section 1: Identification

Product identifier

Product name PLUS-FIFTY® C Dry Chemical, Cartridge Operated Extinguisher

Product code 006619

Other means of identification

Proper shipping name Carbon dioxide

UN number or ID number UN1013

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent.

Uses advised against No information available.

Details of manufacturer or importer

Manufacturer

Johnson Controls
Level 3, 95 Coventry Street
Southbank
Australia-Victoria 3006
+613 9313 9711

For further information, please contact

E-mail address psra@jci.com

Emergency telephone number

Emergency Telephone Number 612 9037 2994 (Australia)

Section 2: Hazard(s) identification

GHS Classification

Gases under pressure	Compressed gas
-----------------------------	----------------

Label elements

Gas cylinder



Signal word
WARNING

Hazard statements
Contains gas under pressure; may explode if heated

Precautionary Statements - Storage
Protect from sunlight. Store in a well-ventilated place

Other hazards which do not result in classification
May be harmful if swallowed.

Section 3: Composition and information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%
Sodium Hydrogen Carbonate	144-55-8	90 - 100%
Attapulgate	12174-11-7	0 - 10%
Quartz	14808-60-7	0 - 10%

Non-hazardous ingredients	Proprietary	Balance
---------------------------	-------------	---------

Section 4: First aid measures

Description of first aid measures

Emergency telephone number	Poisons Information Centre, Australia: 13 11 26 Poisons Information Centre, New Zealand: 0800 764 766
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.
Skin contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.
Ingestion	Rinse mouth.



Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code 2T

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimise spreading. Do not touch or walk through spilled material. Prevent dust cloud.

Methods for cleaning up Avoid generation of dust. Do not dry sweep dust. Wet dust with water before sweeping or



use a vacuum to collect dust. Pick up and transfer to properly labelled containers. Use personal protective equipment as required.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Avoid contact with skin and eyes. Avoid generation of dust. Do not breathe dust. Ensure adequate ventilation. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia	New Zealand	ACGIH TLV
Attapulgit 12174-11-7	-	-	TWA: 1 mg/m ³ respirable particulate matter
Quartz 14808-60-7	0.05 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³ respirable particulate matter

Chemical name	European Union	United Kingdom	Germany DFG
Quartz 14808-60-7	TWA 0.1 mg/m ³ respirable fraction	TWA: 0.1 mg/m ³	-

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact



Respiratory Protection	In case of insufficient ventilation, wear suitable respiratory equipment Wear a respirator conforming to EN 140 with Type A filter or better
Ventilation	Use local exhaust or general dilution ventilation to control exposure within applicable limits.
Hand protection	No special protective equipment required.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Powder
Appearance	No information available
Colour	blue
Odour	No information available.
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	None known
Relative vapour density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

VOC content	No information available
Particle characteristics	No information available

Section 10: Stability and reactivity

Reactivity

Reactivity	No information available.
-------------------	---------------------------



Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerisation Hazardous polymerisation does not occur.

Conditions to avoid

Conditions to avoid Excessive heat.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 4,611.00 mg/kg

ATEmix (dermal) 40,980.20 mg/kg

Component Information



Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Hydrogen Carbonate	= 4220 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitisation No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Attapulгите - 12174-11-7	Carc. 2	-	Group 3
Quartz - 14808-60-7	Carc. 1A	-	Group 1

Legend

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity The environmental impact of this product has not been fully investigated.

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.



Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Hydrogen Carbonate	-	LC50: 8250 - 9000mg/L (96h, Lepomis macrochirus)	-	EC50: =2350mg/L (48h, Daphnia magna)

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

See section 8 for more information

Section 14: Transport information

ADG

UN number or ID number UN1013
UN proper shipping name Carbon dioxide
Transport hazard class(es) 2.2
Special Provisions 378, 392
Description UN1013, Carbon dioxide, 2.2
Limited quantity (LQ) 120 ml
Hazchem code 2T

IATA

UN number or ID number UN1013
UN proper shipping name Carbon dioxide
Transport hazard class(es) 2.2
ERG Code 2L



Special Provisions A202
Description UN1013, Carbon dioxide, 2.2

IMDG

UN number or ID number UN1013
UN proper shipping name Carbon dioxide
Transport hazard class(es) 2.2
EmS-No F-C, S-V
Special Provisions 378, 392
Marine pollutant NP
Description UN1013, Carbon dioxide, 2.2

Transport in bulk according to Annex II of MARPOL and the IBC Code
No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 4

Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sodium Hydrogen Carbonate - 144-55-8	Present	-
Attapulгите - 12174-11-7	Present	-
Quartz - 14808-60-7	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories

AiIC Complies
NZIoC Complies
TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies



ENCS	Does not comply
IECSC	Complies
KECL	Does not comply
PICCS	Complies

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Revision date 26-Mar-2024

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)



006619 - PLUS-FIFTY® C Dry Chemical, Cartridge Operated
Extinguisher

Revision date 26-Mar-2024

National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet